


SUPPLEMENT TO

The Gazetteof India

No. 38] NEW DELHI, SATURDAY, SEPTEMBER 27, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 30th August, 1952

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) & PART (C)																			
Ajmer																			
TOTAL		
(Estd. mid-year pop. 706 thousands.)																			
Total for w/e 23-8-52		
Total for w/e 16-8-52		
7-yearly mean for the week		
Assam																			
Cachar		4	1	
Khasi & Jaintia Hills		
Naga Hills		
Goalpara		
Kamrup		5	2	
Darrang		
Nowgong		
Sibsagar		1	
Lakhimpur		
Sadiya & Frontier Tracts		
Garo Hills		
TOTAL		5	2	4	2	
(Estd. mid-year pop. 9,334 thousands.)																			
Total for w/e 23-8-52		9	4	
Total for w/e 16-8-52		10	3	
7-yearly mean for the week		9	5	3	1	
Bhopal																			
TOTAL		
Estd. mid-year pop. 845 thousands.)																			
Total for w/e 23-8-52		
Total for w/e 16-8-52		
7-yearly mean for the week		16	8	
Bihar																			
Return not received.																			
Bombay																			
Greater Bombay		
Ahmedabad		
Kaira		
Broach		
Panch Mahals		
Surat		
Thana		1	1	
Bombay Suburbans		
Ahmednagar		9	1	
East Khandesh		
West Khandesh		2	
Amreli		
Nasik		2	1	
Poona		1	
Satara North		1	
Satara South		
Sholapur		
Sabarkantha		
Belgaum		
Bijapur		1	1	
Dharwar		2	2	
Kannara		
Ratnagiri		
Kolaba		62	25	
Kolhapur		
Baroda		4	3	
Navsari		
Dangs		
Malwan		
Mehsana		10	
TOTAL		78	31	17	3	
(Estd. mid-year pop. 36,802 thousands)																			
Total for w/e 23-8-52		68	23	11	5	
Total for w/e 16-8-52		53	28	19	3	
7-yearly mean for the week		200	124	62	10	60	27	

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th August 1952—*contd.*

CHOLERA							SMALLPOX							PLAGUE																																		
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.																										
Coorg							Madras																																									
Total							Vizakhapatnam																																									
(Estd. mid-year pop. 237 thousands.)							Srikakulam																																									
Total for w/e 23-8-52							East Godavari																																									
Total for w/e 16-8-52							Krishna																																									
7-yearly mean for the week							Guntur																																									
							Nellore																																									
							Ouddappah																																									
							Kurnool																																									
							Bellary																																									
							Anantapur																																									
							Madras																																									
Total for w/e 23-8-52							Chingleput																																									
Total for w/e 16-8-52							Chittoor																																									
7-yearly mean for the week							North Arcot																																									
							Salem																																									
							Coimbatore																																									
							South Arcot																																									
							Tanjore																																									
							Tiruchirappalli																																									
							Mathurai																																									
							Rannaththapuram																																									
							Tirunelveli																																									
							Nilgiris																																									
							Malabar																																									
							South Kanara																																									
							West Godavari																																									
							TOTAL																																									
							(Estd. mid-year pop. 57,900 thousands.)																																									
Total for w/e 23-8-52							1,046							433							140							33												
Total for w/e 16-8-52							1,077							489							140							46												
7-yearly mean for the week							612							315							317							59							38							15						

Reported attacks and deaths from cholera, small pox, plague and typhus in districts in India during the week ending the 30th August, 1952—*contd.*

CHOLERA							CHOLERA						
SMALLPOX		PLAGUE					SMALLPOX		PLAGUE				
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Orissa— <i>contd.</i>							Uttar Pradesh— <i>contd.</i>						
Ganjam Agency	10	3	—	—	—	—	Aligarh	15	8	—	—	—	—
Koraput	2	1	3	4	—	—	Mathura	—	—	—	—	—	—
Kaonjhar	8	—	—	—	Agra	15	8	..	—	—	—
Dhenkanal	—	—	—	Mainpuri	—	—	—	—
Bolangir Patna	205	135	10	..	—	—	Etah	10	8	..	—	—	—
Sundergarh	3	1	..	—	Bareilly	18	5	—	—	—	—
Kalahandi	50	33	12	1	..	—	Bijnor	—	—	—	—	—	—
Angul	—	Budaun	6	4	—	—	—	—
Mayurbhanj	6	..	1	—	Moradabad	2	1	—	—	—	—
TOTAL	401	251	71	14	Shahjahanpur	—	—	—	—
(Estd. mid-year pop. thousands)							Pilibhit	14	9	—	—
Total for w/e 23-8-52	455	390	149	19	..	—	Farrukhabad	—	—	—	..	—	—
Total for w/e 16-8-52	434	298	45	6	..	—	Etawah	8	—	—
7-yearly mean for the week	59	33	75	14	—	—	Kanpur	4	2	—	..	—	—
							Fatehpur
Punjab (1)							Allahabad	—	—	..	—	—	—
Hissar	—	—	Jhansi	4	2	—	..	—	—
Rohtak	—	Jalaun	6	2	—	..	—	—
Gurgaon	13	3	—	—	Hamirpur	10	8	—	..	—	—
Karnal	2	1	—	Banda	—	..	—	—
Ambala	2	—	Banaras	—	—
Simla	—	Mirzapur	18	5
Kangra	—	Jaunpur	—	—	..	—	—	..
Hoshiarpur	—	—	—	—	Ghazipur	10	5	—	—
Jullundur	1	..	—	—	Ballia	6	1	—	—
Ludhiana	—	—	Gorakhpur	10	5	—
Ferozepur	1	1	—	—	Deoria	11	7	—	—
Amritsar	Rasti	8	6	—
Gurdaspur	—	—	—	..	Asamgarh	—	—	—	—	—	..
TOTAL	15	4	3	2	Nainital	1
(Estd. mid-year pop. thousands)							Almora	—	—
Total for w/e 23-8-52	19	6	6	1	..	—	Garhwal
Total for w/e 16-8-52	10	4	5	2	—	—	Lucknow	—
7-yearly mean for the week	8	5	1	1	—	—	Unao	11	3	..	—	—
							Rae Bareilly
Tripura							Sitapur	8	4
TOTAL	—	—	Hardoi	9	7
(Estd. mid-year pop. thousands.)							Kheri	10	11	—	—	—	—
Total for w/e 23-8-52	Faisalabad
Total for w/e 16-8-52	Gonda	29	10	..	—	..	—
							Bahraich	27	10	—	..	—	—
Uttar Pradesh							Sultanpur	—	—	—	..
Dehra Dun	—	Partabgarh	—	—	—	—
Saharanpur	—	Bara Banki	10	4	—	—	—	—
Muzaffarnagar	—	Rampur	3	1	—	..	—	—
Meerut	—	TOTAL	280	133	12	3	—	—
Bulandshahr	—	(Estd. mid-year pop. thousands)						
							Total for w/e 23-8-52	348	180	10	3	—	—
							Total for w/e 16-8-52	346	167	12	7
							7-yearly mean for the week	360	453	20	6	16	6

Explanation of symbols used:—C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox plague and typhus in districts in India during the week ending the 30th August, 1952—*concl'd.*

CHOLERA							SMALLPOX							PLAGUE													
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.									
Vindhya Pradesh														POLIOMYELITIS													
No incidence.														(Information based on patients treated in hospitals in important towns.)													
Grand Total for States																											
Part (B)		243	98	29	7	23	10	Place		Period		Cases															
Grand total for States														Punjab I		10-31	Aug, 52	8	Paretic								
Parts (A), (B) & (C)																		3	Non-paretic								

Explanation of symbols used :—C.—Cases ; D.—Deaths.

NEW DELHI—2 (INDIA) }
THE 22ND SEPTEMBER 1952 }

K. MITRA
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th August, 1952.

Town	Mid.-1952 Popn.-Est. (000)	Deaths from :—											D. R.*	I. D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M. D.	Total			
STATES—(Parts A and C)														
A. J. N. S. R.														
Ajmer	208	91	23.3				5	7	8		58	14.9	6	
Beawar	52	13	12.8				9	10	4	1	29	28.5	10	
TOTAL	256	104	21.1				14	17	12	1	87	17.7	16	
Assam														
Dibrugarh	40	6	7.8				2		1		3	3.9		
Gauhati	45	2	27.7				1				3	3.5		
Silchar	36	9	12.7				2		1		8	11.2	2	
Shillong	50	20	18.5								4	3.5		
TOTAL	177	59	17.3				5		2		18	5.3	2	
Bhopal														
Bhopal city	106	47	23.1				6	2	6		21	10.3		
Bihar														
Return not received														
Bombay														
Ahmedabad	814	781	49.9				27	54	203		575	36.7	239	
Ahmednagar†							9	1	1		15	17.0	4	
Amalner	40	40	45.2											
Bagalkot	33	29	45.7				2		2	1	14	22.1	1	
Baroda	219	172	40.8				40	3	8	2	85	20.2	21	
Barsi	43	34	41.1				7		2		24	29.7	9	
Belgaum	103	74	37.4				6	7	2		36	18.2	12	
Bhusawal	58	43	39.9				5	3	2		15	12.5	5	
Bijapur	68	52	16.8				6	3	4		21	16.1	4	
Broach	64	48	39.0				16	2	3	1	40	32.5	8	
Cambay	40	43	55.9				15	1	1		23	29.9		
Chalisgaon	31	22	36.9				4		1		10	16.8	7	
Dharwar†														
Dhulia†														
Gadag-Betgeri	67	44	31.2				8	2	4		32	24.2		
Godhra	40	35	45.5				3		2		9	11.7		
Greater Bombay	2,987	1,555	27.1				11	8	180		868	15.4	25	
Hubli	134	80	31.0				2	3	6		28	10.9		
Jalgaon	79	57.9					12	4	2		29	21.2	3	
Kalyan	62	27	22.6						5		11	9.2		
Kolhapur	143	119	43.3				7	5	4		46	16.7	1	
Nandurbar	31	16	26.8				1	2	3		12	20.7		
Malegaon†	41	14	17.6				4		2		11	12.7		
Miraj														
Nadiad	85	65	52.0				27		1		30	24.0	1	
Nasik	103	79	39.9			1	6		5		32	16.2	1	
Navasari	46	34	38.4				9			1	17	19.2		
Pandharpur	41	33	41.8				10	2	9	1	27	34.3	1	
Patan	44	47	55.5				12	3	4		32	37.8		
Poona	516	288	23.0				3	9	57	5	170	17.1		
Sangli	52	16	16.0				2	2	2		14	14.0		
Satara	38	22	30.1				1	1	2	1	17	23.2		
Sholapur	274	295	52.6				15	10	33		104	19.7		
Surat	230	164	37.1				19	5	16		100	22.6	3	
Taana†														
TOTAL	6,502	4,350	34.8			1	287	130	566	12	2,447	19.6	76	
Delhi State														
Delhi City	955	691	37.6				103	26	28	1	210	11.4		
New Delhi	304	110	18.8					1	5	3	54	9.2		
TOTAL	1,259	801	33.1				103	27	33	4	264	10.9		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included total deaths).

Births and deaths from principal diseases in towns with a population of over 50,000 in India for the week ending the 30th August 1952—*contn.*

Town	Mid. 1952 Popn. Est. (000)	Deaths from—											Total	D.R.*	I.L.
		B.	B.R.*	C.	S.	P.	E.	D.D.	R.D.	M.D.					
Madhya Pradesh															
Achalpur	36	37	53.4	—	—	—	3	4	41	50.2	6		
Akola †	90	123	71.1	—	—	—	13	4	5	2	60	34.7	17		
Amravati	39	19	25.3	5	14	1	2	..	36	48.0	8		
Bilaspur	72	61	44.1	10	5	2	..	31	22.4	..		
Burhanpur	41	71	90.0	12	9	4	..	39	49.5	4		
Chanda	212	138	33.8	..	4	..	14	21	3	..	62	15.2	13		
Damoh †	54	32	30.8	6	1	17	16.4	..		
Gondia †	93	29	16.2	4	4	1	..	7	3.9	..		
Hinganghat †	37	35	49.2	—	7	3	23	32.3	6		
Jabalpur	674	545	42.0	5	4	..	83	52	17	2	316	24.4	54		
Khandwa	54	32	30.8	6	1	17	16.4	..		
Nagpur †	93	29	16.2	4	4	1	..	7	3.9	..		
Raipur	37	35	49.2	—	7	3	23	32.3	6		
Sagar †	37	35	49.2	—	7	3	23	32.3	6		
Wardha †	37	35	49.2	—	7	3	23	32.3	6		
Yeotmal	37	35	49.2	—	7	3	23	32.3	6		
TOTAL	674	545	42.0	5	4	..	83	52	17	2	316	24.4	54		
Madras															
Adoni	56	34	31.6	5	..	9	8.4	1		
Ambur	42	31	38.4	3	2	2	..	17	21.0	1		
Anakapalle	42	41	50.8	2	9	2	28	34.9	4		
Aruppukottai	50	33	34.3	2	2	1	..	13	13.5	3		
Bellary	73	63	44.9	1	3	8	..	30	21.4	4		
Bhimavaram †	43	29	35.1	6	4	1	..	21	25.4	4		
Cannanore	37	39	54.8	4	1	2	..	16	22.5	4		
Chirala	40	28	36.4	4	1	..	1	..	18	23.4	5		
Chittoor	203	181	46.4	12	14	1	89	22.8	25		
Coimbatore	69	89	76.0	—	3	..	5	3	23	17.3	2		
Cuddalore	39	54	72.0	5	1	..	2	2	14	18.7	4		
Cuddappah	82	82	52.0	2	2	7	..	44	27.9	10		
Dindigul	90	34	19.6	3	5	3	..	33	19.1	2		
Eluru	60	33	28.6	2	4	2	3	..	24	20.8	3		
Erode	47	38	42.0	3	4	23	25.4	6		
Guddiyattam	103	44	22.2	12	3	4	..	45	22.7	8		
Guntur †	86	144	68.9	1	6	2	13	1	61	36.9	8		
Kakinada	59	23	30.7	3	3	3	1	18	24.0	5		
Kancheepuram	44	37	43.7	3	1	2	1	21	24.8	3		
Karakudi	162	154	49.4	13	1	6	1	70	23.5	16		
Karur	59	23	30.7	3	3	3	1	18	24.0	5		
Koshibikode	44	37	43.7	3	1	2	1	21	24.8	3		
Kumbakonam	162	154	49.4	13	1	6	1	70	23.5	16		
Kurnool	95	66	36.1	4	5	2	34	18.6	12		
Madras	62	53	44.5	1	4	4	..	24	20.1	3		
Mangalore	1,488	1,576	55.1	2	1	..	85	130	210	5	833	29.1	209		
Masulipatnam	122	85	36.2	3	4	5	..	40	17.0	5		
Mathurai	81	105	67.4	1	2	2	2	32	20.5	8		
Mayuram	378	323	44.4	9	9	43	2	139	19.1	30		
Malapalayam	45	35	40.4	1	1	..	10	11.6	1		
Nagapattinam	38	18	24.6	1	2	2	..	10	13.7	3		
Nellore	59	22	19.4	2	1	2	1	29	25.6	8		
Ootacamund	85	79	48.3	5	11	7	3	2	61	37.3	14		
Palyankottai †	41	31	39.3	1	2	2	..	18	22.8	1		
Palghat	71	61	44.7	4	2	6	..	30	22.0	2		
Proddatur	38	33	45.2	1	3	3	18	24.6	3		
Pudukottai	46	35	39.6	5	4	3	1	17	19.2	3		
Rajahmundry	109	92	43.9	6	6	2	..	52	24.8	13		
Rajapalayam †	212	145	35.6	5	4	7	15	1	86	21.9	11		
Salem	41	38	48.2	1	3	3	..	23	29.2	4		
Srivilliputtur	105	78	38.6	..	3	..	1	2	2	2	55	27.2	10		
Tanjore	63	45	37.1	2	1	1	17	14.0	2		
Tellicherry	60	90	78.0	1	3	3	4	..	24	20.8	5		
Tenali	226	159	36.6	4	6	..	53	12.2	10		
Tiruchirappalli	75	59	40.9	4	6	..	27	18.7	11		
Tirunelveli	75	59	40.9	4	6	..	27	18.7	11		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; E.—Typhoid enteric and Diarrhoea; R.D.—Respiratory Tuberculosis; M.D.—Mental Diseases; D.R.—Deaths Rate; I.L.—Infantile Deaths; Total deaths.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th August 1952—*contd.*

Town	Mid.-1952 Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Tiruppur	55	45	42.5	5	4	2	1	...	28	26.5	5	
Tiruvannamalai†	101	95	48.9	1	5	7	1	36	18.5	7	
Tuticorin	40	30	39.0	2	2	6	...	24	31.2	2	
Veniyambadi	111	144	67.5	2	3	12	...	47	22.0	10	
Vellore	171	138	42.0	5	2	3	...	52	15.8	16	
Vijayavada	48	48	52.0	4	3	5	...	20	21.7	3	
Virudunagar	113	105	48.3	8	4	8	1	43	19.8	5	
Vizakhapatnam	69	69	52.0	4	5	2	1	44	33.2	11	
Vizianagaram														
TOTAL	5,718	5,083	46.2	36	5	...	248	283	451	30	2,543	23.1	545	
Orissa														
Berhampur	65	42	33.7	7	8	2	2	32	25.7	6	
Cuttack	106	95	46.7	11	9	64	31.5	15	
Puri	50	38	39.6	12	5	2	...	29	30.2	7	
TOTAL	221	175	41.2	30	22	2	2	125	29.4	28	
Punjab (I)														
Ambala	59	41	36.3	9	1	2	...	17	15.1	8	
Amritsar	317	242	39.9	4	7	39	1	98	16.2	27	
Batala	57	30	27.5	5	...	2	1	13	11.9	6	
Bhiwani	53	61	60.2	11	4	1	...	25	24.7	8	
Ferozepore	41	22	28.1	3	1	4	...	13	16.6	6	
Hissar	36	30	43.5	6	...	1	...	7	10.2	2	
Hoshiarpur	47	35	38.9	4	1	2	...	17	18.9	4	
Jullundur	176	118	35.1	14	1	5	...	25	7.4	8	
Karnal	61	46	39.4	7	...	3	...	11	9.4	3	
Ludhiana	159	126	41.4	31	7	52	17.1	11	
Moga	38	39	53.6	5	9	12.4	3	
Panipat	57	60	55.0	1	16	2	5	...	29	26.6	7	
Pathankot †														
Rewari	85	22	32.9	6	6	3	...	15	22.4	4	
Rohtak	73	60	43.0	13	1	17	12.2	5	
Shimla	46	39	44.3	2	...	9	10.2	3	
Sonepat	31	11	18.5	7	...	2	...	10	16.9	...	
TOTAL	1,286	982	39.7	1	141	31	71	2	367	14.8	105	
Uttar Pradesh														
Agra	344	433	65.8	21	90	...	226	34.4	89	
Allahabad	332	213	34.6	2	3	21	...	69	11.2	20	
Amroha	59	59	52.3	8	9	10	...	47	41.7	11	
Bahraich	45	19	22.1	5	1	5	...	16	18.6	9	
Ballia	32	9	14.7	4	5	8.2	1	
Benaras	350	339	50.6	87	23	12	1	236	35.3	64	
Banda	31	14	23.6	1	5	8.4	...	
Bareilly	197	98	26.0	21	6	12	...	51	18.5	18	
Easti †														
Bijnor †														
Budaun	53	40	39.5	3	2	4	...	18	17.8	7	
Bulandshahr	39	22	29.5	13	15	20.1	5	
Chandausi	38	41	56.4	5	4	20	27.5	8	
Dehra Dun	124	40	16.9	10	2	2	...	25	10.5	1	
Etawah	61	70	60.0	9	2	3	...	40	34.3	24	
Faizabad-Ajodhya	79	47	31.1	6	1	6	...	20	13.2	10	
Farrukhabad-Fatehgarh	76	66	45.4	9	5	5	...	31	21.3	5	
Ferozabad	69	63	47.7	22	4	3	...	40	30.3	10	
Ghaziabad	40	28	36.6	11	11	14.4	4	
Ghazipur	35	26	38.8	6	...	3	1	13	19.4	1	
Gonda	33	24	38.0	4	2	10	15.8	4	
Gorakhpur	128	76	31.0	14	5	5	...	37	15.1	9	
Hapur	45	60	69.7	10	6	2	...	20	23.2	6	
Hardwar	58	37	33.4	25	2	2	...	40	36.1	8	
Hathras	58	64	57.7	8	7	7	...	26	23.4	7	
Jaunpur	53	34	33.5	2	1	6	...	18	17.8	6	
Jhansi	109	96	46.0	1	37	2	5	...	72	34.5	22	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th August, 1952—*contd.*

Town	Mid-1952 Popn. - Kasht. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Kanpur	662	378	29.9	117	28	34	6	324	25.6	110	
Kasganj	33	23	36.4	2	2	5	7.9	...	
Khurja	39	32	42.9	6	4	18	14.1	3	
Koil-Aligarh	141	108	40.0	1	16	12	7	...	52	19.3	11	
Lucknow	457	330	37.8	53	23	29	1	225	25.7	73	
Mathura	101	120	62.1	17	...	3	...	31	10.0	11	
Mau-Nath Bhanjan †														
Meerut	167	101	31.6	10	4	13	...	41	12.8	8	
Mirzapur-Vindhyachal	90	69	40.1	19	4	6	...	43	24.9	13	
Moradabad	158	100	52.9	18	11	13	1	60	19.9	12	
Muzaffarnagar	67	55	42.9	6	1	6	...	25	19.5	3	
Pilibhit	45	39	45.3	6	1	3	1	29	33.7	12	
Rampur	140	11	4.1	4	6	2.2	1	
Saharanpur	147	134	47.7	61	2	3	...	78	27.7	22	
Sambhal	62	50	42.2	22	4	4	...	39	32.9	13	
Shahjahanpur	99	61	32.2	23	1	2	...	42	22.2	12	
Sitapur	46	26	29.6	4	2	14	15.9	5	
TOTAL	4,932	3,715	39.2	4	708	205	326	11	2,143	22.6	660	

West Bengal*Return not received.***STATES (PART B)****Jammu & Kashmir****Madhya Bharat**

Greater Gwalior	249	10	2.1	7	...	3	..	20	4.3	3
Indore City	325	232	37.1	28	10	10	2	109	17.4	30
Ratlam City	66	22	17.3	9	5	8	..	33	26.0	5
Ujjain City	136	23	8.7	4	3	5	..	37	14.1	16
TOTAL	776	287	19.2	48	18	26	2	199	13.3	54

Mysore State

Bangalore City	825	666	42.0	1	51	65	357	22.5	..
Davanagere	59	43	37.9	1	5	1	..	16	14.1	..
Kolar Gold Fields	163	138	44.0	4	9	6	..	41	13.1	..
Mysore City	257	160	32.4	20	4	99	20.0	..
TOTAL	1,304	1,007	40.2	1	76	83	7	..	513	20.4	..

PEPSU

Bhatinda	35	40	59.4	15	3	2	..	23	34.2	8
Malerkotla	33	32	35.9
Patiala	100	30	15.6	19	1	5	2	42	21.8	16
TOTAL	168	102	31.6	34	4	7	2	65	20.1	24

Rajasthan*Return not received.***Saurashtra**

Bhavnagar	143	58	21.1	42	8	2	..	67	24.4	13
Dhoraji	45	25	28.9	8	2	2	..	17	19.6	..
Gondal	38	22	30.1	5	..	2	1	12	16.4	5
Jamnagar	109	97	46.4	15	2	2	..	25	11.9	5
Junagadh	63	25	20.6	19	2	2	..	33	27.2	14
Morvi	41	18	22.8	5	..	1	..	6	7.6	..
Porbandar	60	51	44.2	13	3	1	..	25	21.7	17
Rajkot	141	69	25.4	22	10	9	4	68	25.1	35
Surendra Nagar †													
Veraval	42	7	8.6	3	..	1	..	5	6.2	..
TOTAL	682	372	28.4	132	27	22	5	258	19.7	89

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th August, 1952—*contd.*

Deaths from :—

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Travancore-Cochin													
Alleppey	124	11	4.6	1	1	1	—	4	1.7	..
Changanacherry	37	21	29.5	—	—	..	1	..	3	..	7	9.8	1
Ernakulam	64	53	43.1	—	—	..	—	1	—	..	16	13.0	7
Kottayam	46	44	49.7	..	—	6	6.8	2
Mattancherry	76	91	62.3	..	—	..	1	1	2	..	12	8.2	4
Nagercoil	83	25	15.7	..	—	..	2	1	1	..	11	6.9	..
Quilon	68	70	53.5	..	—	—	..	4	3	—	18	13.8	2
Trichur	71	48	39.2	10	7.3	1
Trivandrum City	195	11	2.9	4	2	3	..	36	9.6	2
TOTAL	764	374	25.5	—	—	—	9	10	13	..	120	8.2	19

ARREAR RETURNS.

For week the 16th August, 1952

Bihar													
Arrah	67	10	7.8	4	—	—	1	2	8	6.2	..
Betuah	36	2	2.9	—	1	1	2	2.9	..
Bihar	64	11	8.9	..	—	—	2	—	3	2.4	—
Bhagalpur	118	10	4.4	6	13	5.7	..
Dhanbad	38	18	25.9	..	—	—	4	—	7	11.1	..
Darbhanga	86	26	15.8	..	—	—	3	5	3.0	..
Dinapur	44	2	2.4	1	—	1	..	3	3.6	..
Gaya†	—	—	—	—	—	—	—	—	—	—	—	—	—
Jamalpur	45	13	15.0	1	1	1.2	..
Jamshedpur	227	81	18.6	—	1	1	3	..	16	3.7	7
Monghyr†	—	—	—	—	—	—	—	—	—	—	—	—	—
Muzaffarpur	77	38	25.7	2	10	6.8	..
Patna	293	86	15.3	1	6	1	29	5.1	..
Purulia†	—	—	—	—	—	—	—	—	—	—	—	—	—
Ranchi	113	9	4.1	—	3	11	5.1	..
TOTAL	1,208	306	13.2	5	30	6	4	..	10	84.6	7

For week the 16th August, 1952

West Bengal													
Asansol†	31	11	18.6	4	6.7	1
Baldyabati	62	12	10.1	2	..	1	..	7	5.9	..
Bally	49	3	3.2	1	1	3	3.2	..
Bankura	—	—	—	—	—	—	—	—	—	—	—	—	—
Bansberia†	80	36	23.5	9	4	2	..	24	15.7	..
Baranagar	36	4	5.8	1	1.5	..
Basirhat	58	29	26.1	3	1	9	8.1	1
Berhampur	33	15	23.8	1	1	3	..	8	12.7	..
Bhadreswar	136	73	28.1	25	2	4	1	54	20.8	13
Bhatpara	32	4	6.5	1	4	2	..	12	19.6	3
Budge-Budge	77	13	8.8	2	2	2	..	9	6.1	..
Burdwan	2,609	1,285	25.8	5	1	..	77	130	188	3	791	15.9	249
Calcutta	38	30	41.3	5	6.9	..
Chandpurani	36	6	8.7	2	4	5.8	..
Cooch-Behar	—	—	—	—	—	—	—	—	—	—	—	—	—
Darjeeling†	32	3	4.9
English-Bazar	—	—	—	—	—	—	—	—	—	—	—	—	—
Garden Reach†	—	—	—	—	—	—	—	—	—	—	—	—	—
Halsabar	37
Hoogly-Chinsura	57	29	26.6	7	9	1	..	24	22.0	6
Howrah	452	212	24.5	1	27	26	38	..	170	19.7	44
Jalpaiguri	43	31	37.7	4	1	1	..	14	17.0	..
Kamarhati	80	28	18.3	4	1	..	8	5.2	..
Kanchrapara	61	17	14.6	1	..	1	0.9	—
Krishnagar	50
Midnapore	44	15	17.8	1	1	1	..	7	8.3	..
Nabadwip	59	28	24.8	7	1	10	9.9	..
Naihati	57	3	2.8	1	1	0.9	..
North Barrackpore	—	—	—	—	—	—	—	—	—	—	—	—	—
Pandhati †	—	—	—	—	—	—	—	—	—	—	—	—	—
Santipur	44	22	26.1	6	7.1	..
Serampore	76	40	27.5	1	3	2	..	13	8.9	..
Siliguri	35	2	3.0
South Dum-Dum	68	7	5.4
South Suburban	108	47	22.8	1	5	3	..	13	6.3	7
Titagarh	72	24	17.4	3	27	..	2	..	35	25.4	6
Tollygunj	163	6	1.9
TOTAL	4,815	2,035	22.0	9	1	—	196	198	252	4	1,233	13.3	330

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 30th August, 1952—concl'd.

Deaths from:—

Town		Mid-1952 Popn.-Est. (000)	B.	B.	R.*	C.	S.	P.	F.	D.D.	R.D.	M. D.	Total	O.R.	I. D.
ARRRAB RETURNS—concl'd.															
Madhya Pradesh For w/e															
Achalpur . . .	2-8-52	36	45	65.0	—	..	—	—	2	4	13	18.8	6
Bombay															
Miraj . . .	23-8-52	41	35	44.4	—	..	—	—	1	1	3	..	18	22.8	1
Hubli . . .	„	134	85	32.6	..	—	..	—	3	..	6	1	28	10.9	4
Solapur . . .	16-8-52	274	225	42.7	—	..	—	—	9	11	49	1	119	22.6	24
Punjab (I)															
Ambala . . .	23-8-52	59	50	44.3	—	..	—	—	5	7	4	..	22	19.5	11
Orissa															
Berhampur . . .	23-8-52	65	40	32.1	4	—	—	—	6	11	1	..	33	26.5	2
Bhopal															
Bhopal City . . .	23-8-52	106	43	21.1	—	3	4	..	†	9	4.4	†
Rajasthan															
Jalpur . . .	23-8-52	307	41	7.0	..	—	..	—	44	22	55	..	145	27.8	55
Alwar . . .	„	59	46	40.5	..	—	—	—	3	4	1	..	12	10.6	..
Bharatpur . . .	„	37	39	54.8	..	—	..	—	5	1	1	..	9	12.6	..
Tonk . . .	„	43	22	26.6	—	6	4	2	1	14	16.9	9
Bikaner . . .	„	117	62	27.5	—	—	8	1	6	1	24	10.6	1
Churu . . .	„	43	10	13.3	—	—	7	7	8.8	..
Ganganagar . . .	„	39	10	13.3	—	—	—	—	3	9	12.0	2
Kotah . . .	„	66	29	22.8	—	13	5	—	..	22	17.3	..
Bharatpur . . .	9-8-52	37	18	23.2	—	—	—
Bharatpur . . .	16-8-52	37	24	33.7	—	—	5	2	3	..	14	19.6	..
For w/e the 26th July, 1952															
Travancore-Cochin															
Alleppey . . .		124	98	41.1	—	1	2	4	—	28	11.7	6
Changanacherry . . .		37	21	29.5	—	—	—	—	3	6	8.4	..
Ernakulam . . .		64	29	23.6	—	—	3	..	2	..	16	13.0	1
Kottayam . . .		46	46	52.0	..	—	..	—	1	2	1	..	12	13.6	1
Mattancherry . . .		76	37	25.3	—	—	—	—	2	..	2	..	14	9.6	4
Nagercoil . . .		83	37	23.2	—	—	8	—	2	..	16	10.0	1
Quilon . . .		68	69	52.8	—	—	..	2	5	..	15	11.5	1
Trichur . . .		71	67	49.1	—	—	4	2	3	..	24	17.6	3
Trivandrum City . . .		195	241	64.3	..	2	..	—	10	9	16	2	74	19.7	7
TOTAL . . .		764	645	43.9	..	2	..	—	32	17	35	2	295	14.0	24

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Small pox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; O.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 30th August, 1952, relate to 187 towns with an estimated population of 24,825 thousands. The total number of towns is 281 and their population is 54,704 thousands. Thus 67% of the total number of towns representing 71% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,003 and 9,486 representing birth and death rates of 37.7 and 19.9 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 158 towns with an estimated population of 21,121 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 67% of the total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in

these towns were 15,861 and 8,331 representing birth and death rates of 39.0 and 20.5 per thousand of population respectively.

Achalpur in Madhya Pradesh was the only town which had a high death rate of 49.2 per thousand of population and this high death rate was not due to any one of the specified causes.

(E) States (Part B).—The data here relate to 29 towns with an estimated population of 3,694 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 56% of the total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in these towns were 2,142 and 1,155 representing birth and death rates of 30.2 and 16.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 30.8.52		Corresponding week of last year		Corresponding mean during the previous 5 year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	21.1	17.7	49.1	15.4	45.6	18.6
Bombay	34.8	19.6	39.0	17.9	38.8	23.5
Delhi	33.1	10.9	58.6	17.3	53.1	16.9
Madhya Pradesh .	42.0	24.4	35.2	19.8	41.8	25.4
Madras	46.2	23.1	61.1	31.1	55.6	29.8
Orissa	41.2	29.4	45.0	17.2	42.8	26.1
Punjab (I) . . .	39.7	14.8	39.9	10.9	32.1	13.1
Uttar Pradesh . .	39.2	22.6	47.2	21.6	46.9	26.0
India (only States Parts A and C).	39.0	20.5	47.4	22.1	39.1	22.6

NEW DELHI, 2 (INDIA);
22nd September, 1952.

K. MITRA,
for Registrar General, India.